

MONTIGO®

EXEMPLAR

EXEMPLAR / PROUDLY HANDCRAFTED IN NORTH AMERICA

R320

R420

R520

R720

R820

R320ST

R420ST

R520ST

R620ST

RP620

R324STIO

RP424



EXEMPLAR / LEGACY R SERIES



EXEMPLAR / RP620N / DRIFTWOOD SPECKLED STONES

EXEM



EXEMPLAR / R324STION / DRIFTWOOD SPECKLED STONES

INNOVATION, LUXURY AND COMFORT AT ITS FINEST

EXEMPLAR

BALANCED DESIGN IN ELEGANT PROPORTIONS

A flame viewing experience unlike any other. From the sleek linear burners of the Exemplar 820, to the robust towering flames of the RP424, our catalog offers endless choices in flames across a variety of burner media. Montigo's patented COOL-Pack technology is featured in the RP424, creating a cool-to-the-touch glass surface without a safety screen obstructing your view.

EXEMPLAR

EXEMPLAR / RP424PFN DRIFTWOOD SPECKLED STONES

PROFESSIONAL EXEMPLAR GRADE

**R320, R420,
R520, R720,
R820**

Single sided
Power vented

EXEMPLAR CONTEMPORARY

Standard

Contemporary burner with
Sage firebeads

Tempered glass

Power vent control box

Options

On/Off remote

EXEMPLAR POWER VENTS

Wall Mount

PVHEX58-300

PVHEX510-300

PVHEXD-300

Flush Wall Mount

PVHFL58-300

PVHFL510-300

PVHIN58-300-FS

Roof Mount

PVWEX58-300

PVWEX510-300

QUICK DIMENSIONS

	R320		R420		R520		R720		R820	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	41 ¹ / ₁₆	55	53 ³ / ₁₆	67	65 ⁵ / ₁₆	77	89 ⁹ / ₁₆	101	101 ¹ / ₁₆	113
B.WIDTH	48 ¹¹ / ₁₆	55	60 ¹¹ / ₁₆	67	72 ¹¹ / ₁₆	77	96 ¹¹ / ₁₆	101	108 ¹¹ / ₁₆	113
HEIGHT	38 ¹ / ₁₆	47	38 ¹ / ₁₆	47	39 ¹ / ₁₆	45	40 ¹ / ₁₆	46	40 ¹ / ₁₆	46
DEPTH	21 ¹ / ₈	23 ³ / ₄ [†]	21 ¹ / ₈	23 ³ / ₄ [†]	21 ¹ / ₈	23 ³ / ₄ [†]	21 ¹ / ₈	23 ³ / ₄ [†]	21 ¹ / ₈	23 ³ / ₄ [†]
VIEWING	37 ¹ / ₄ × 16 ¹ / ₈		49 ¹ / ₄ × 16 ¹ / ₈		61 ¹ / ₄ × 18 ¹ / ₈		85 ¹ / ₄ × 18 ¹ / ₈		97 ¹ / ₄ × 18 ¹ / ₈	

[†]Dimension is for rear venting

BTU LISTING

R320N / 50,000

R420N / 65,000

R520N / 80,000

R320L / 40,000

R420L / 55,000

R520L / 65,000

R720N / 100,000


R820N / 100,000

R720L / 80,000

R820L / 80,000



EXEMPLAR DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
R320	48 $\frac{3}{8}$	8	5	9 $\frac{1}{2}$	15 $\frac{1}{4}$	21 $\frac{1}{8}$	$\frac{7}{8}$	41 $\frac{1}{2}$	37 $\frac{1}{4}$	7 $\frac{1}{4}$	42 $\frac{1}{4}$	19 $\frac{3}{4}$	10 $\frac{7}{8}$	38 $\frac{1}{16}$	12 $\frac{3}{8}$	16 $\frac{1}{8}$	9 $\frac{1}{2}$	21 $\frac{1}{8}$	32
R420	60 $\frac{3}{8}$	8	5	9 $\frac{1}{2}$	15 $\frac{1}{4}$	21 $\frac{1}{8}$	$\frac{7}{8}$	53 $\frac{1}{2}$	49 $\frac{1}{4}$	7 $\frac{1}{2}$	42 $\frac{1}{4}$	19 $\frac{3}{4}$	10 $\frac{7}{8}$	38 $\frac{1}{16}$	12 $\frac{3}{8}$	16 $\frac{1}{8}$	9 $\frac{1}{2}$	21 $\frac{1}{8}$	32
R520	72 $\frac{3}{8}$	10	5	9 $\frac{1}{2}$	15 $\frac{1}{4}$	21 $\frac{1}{8}$	$\frac{7}{8}$	65 $\frac{1}{2}$	61 $\frac{1}{4}$	7 $\frac{1}{2}$	43 $\frac{1}{4}$	21 $\frac{3}{4}$	9 $\frac{7}{8}$	39 $\frac{1}{16}$	11 $\frac{3}{8}$	18 $\frac{1}{8}$	9 $\frac{1}{2}$	20 $\frac{1}{16}$	33
R720	96 $\frac{3}{8}$	10	5	9 $\frac{1}{2}$	15 $\frac{1}{4}$	21 $\frac{1}{8}$	$\frac{7}{8}$	89 $\frac{1}{2}$	85 $\frac{1}{4}$	7 $\frac{1}{2}$	43 $\frac{1}{4}$	21 $\frac{3}{4}$	10 $\frac{7}{8}$	40 $\frac{1}{16}$	12 $\frac{3}{8}$	18 $\frac{1}{8}$	9 $\frac{1}{2}$	20 $\frac{1}{16}$	34
R820	108 $\frac{3}{8}$	10	5	9 $\frac{1}{2}$	15 $\frac{1}{4}$	21 $\frac{1}{8}$	$\frac{7}{8}$	101 $\frac{1}{2}$	97 $\frac{1}{4}$	7 $\frac{1}{2}$	43 $\frac{1}{4}$	21 $\frac{3}{4}$	10 $\frac{7}{8}$	40 $\frac{1}{16}$	12 $\frac{3}{8}$	18 $\frac{1}{8}$	9 $\frac{1}{2}$	20 $\frac{1}{16}$	34

MONTIGO / EXEMPLAR / R420 / SAGE FIREBEADS



REMOTE ON/OFF
RXM5010

OPTIONS &
FEATURES

Features

Frameless window design

Convertible to top or rear flue vent

Compatible with 24VAC home automation systems

EXEMPLAR COMFORT

EXEMPLAR / PROUDLY HANDCRAFTED IN NORTH AMERICA

RP620

Single sided
Power vented

EXEMPLAR RP620 CONTEMPORARY

Standard

Concealed burner with
Quartz firebeads

Black porcelain liner

Media uplighting

Options

On/Off remote

EXEMPLAR POWER VENTS

Wall Mount

PVHEX58-300

PVHEX510-300

PVHDXD-300

Flush Wall Mount

PVHFL58-300

PVHFL510-300

PVHIN58-300-FS

Roof Mount

PVVEX58-300


PVVEX510-300

QUICK DIMENSIONS

RP620	UNIT	FRAM.
F.WIDTH	84 ¹³ / ₁₆	96
B.WIDTH	84 ¹³ / ₁₆	96
HEIGHT	44 ⁷ / ₈	54
DEPTH	22 ¹ / ₂	26
VIEWING	73 ³ / ₄ × 18 ¹ / ₈	

BTU LISTING
RP620N / 75,000
RP620L / 70,000

EXEMPLAR RP620 DIMENSIONS



MONTIGO / EXEMPLAR / RP620N / OBSIDIAN FIREGLASS



MONTIGO / EXEMPLAR / RP620N / DRIFTWOOD SPECKLED STONES

OPTIONS & FEATURES



REMOTE ON/OFF[†]
RXM5010



BLACK PORCELAIN^Δ



UPLIGHTING^Δ

[†]Optional on RP620

^ΔStandard on RP620



EXEMPLAR

MULTI SIDED

A new view

R320ST, R420ST, R520ST, R620ST

See through
Power vented

EXEMPLAR CONTEMPORARY

Standard

Contemporary burner with
Sage firebeads
Tempered glass
Power vent control box

Options

On/Off remote
Indoor outdoor kit

EXEMPLAR POWER VENTS

Wall Mount

PVHEX58-300
PVHEX510-300
PVHDX-300

Flush Wall Mount

PVHFL58-300
PVHFL510-300
PVHIN58-300-FS

Roof Mount

PVVEX58-300
PVVEX510-300

QUICK DIMENSIONS

	R320ST		R420ST		R520ST		R620ST	
	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	41 ¹ / ₁₆	55	53 ¹ / ₁₆	67	65 ¹ / ₁₆	77	89 ¹ / ₁₆	101
B.WIDTH	48 ¹ / ₁₆	55	60 ¹ / ₁₆	67	72 ¹ / ₁₆	77	96 ¹ / ₁₆	101
HEIGHT	38 ¹ / ₁₆	47	38 ¹ / ₁₆	47	39 ¹ / ₁₆	45	40 ¹ / ₁₆	46
DEPTH	21 ¹ / ₈	23 ³ / ₄	21 ¹ / ₈	23 ³ / ₄	21 ¹ / ₈	23 ³ / ₄	21 ¹ / ₈	23 ³ / ₄
VIEWING	37 ¹ / ₄ × 16 ¹ / ₈		49 ¹ / ₄ × 16 ¹ / ₈		61 ¹ / ₄ × 18 ¹ / ₈		85 ¹ / ₄ × 18 ¹ / ₈	

BTU LISTING


R320STN / 45,000
R420STN / 55,000

R320STL / 42,000
R420STL / 55,000

R520STN / 80,000
R620STN / 100,000

R520STL / 80,000
R620STL / 100,000

EXEMPLAR DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
R320	50 ⁷ / ₈	8	5	26 ³ / ₈	24 ⁵ / ₈	15	7 ⁷ / ₁₆	41 ¹ / ₂	37 ¹ / ₈	9 ¹³ / ₁₆	45 ⁷ / ₈	19 ³ / ₄	13 ⁵ / ₈	50 ¹³ / ₁₆	15 ¹ / ₈	16 ¹ / ₈	12	24 ³ / ₈	23 ³ / ₈
R420	62 ⁷ / ₈	8	5	26 ³ / ₈	24 ⁵ / ₈	15	7 ⁷ / ₁₆	53 ¹ / ₂	49 ¹ / ₄	9 ¹³ / ₁₆	45 ⁷ / ₈	19 ³ / ₄	13 ⁵ / ₈	62 ¹³ / ₁₆	15 ¹ / ₈	16 ¹ / ₈	12	24 ³ / ₈	23 ³ / ₈
R520	74 ⁷ / ₈	10	5	26 ³ / ₈	24 ⁵ / ₈	15	7 ⁷ / ₁₆	65 ¹ / ₂	61 ¹ / ₄	9 ¹³ / ₁₆	45 ⁷ / ₈	19 ³ / ₄	13 ⁵ / ₈	74 ¹³ / ₁₆	15 ¹ / ₈	16 ¹ / ₈	12	24 ³ / ₈	23 ³ / ₈
R620	86 ⁷ / ₈	10	5	26 ³ / ₈	24 ⁵ / ₈	15	7 ⁷ / ₁₆	77 ¹ / ₂	73 ¹ / ₄	9 ¹³ / ₁₆	45 ⁷ / ₈	19 ³ / ₄	13 ⁵ / ₈	86 ¹³ / ₁₆	15 ¹ / ₈	16 ¹ / ₈	12	24 ³ / ₈	23 ³ / ₈



OPTIONS & FEATURES



REMOTE ON/OFF
RXM5010



INDOOR
OUTDOOR KIT
IOSK*

Features

Built in power vent system
requires no venting

EXEMPLAR

MULTI SIDED

A window to luxury

R324 STIO

Indoor-Outdoor
Internal power vented

EXEMPLAR R324 CONTEMPORARY

Standard

Concealed burner with
Sage firebeads

Sealing frame for
outside glass

Invisimesh screen

Options

Black porcelain liner

Driftwood logset and
speckled stones

QUICK DIMENSIONS


R324STIO	UNIT	FRAM.
F.WIDTH	48 $\frac{3}{8}$	49
B.WIDTH	48 $\frac{3}{8}$	49
HEIGHT	45	48
DEPTH	26 $\frac{15}{16}$	n/a
VIEWING	35 $\frac{3}{4}$ x 23 $\frac{3}{8}$	

BTU LISTING

R324STION / 50,000

R324STIOL / 50,000

EXEMPLAR DIMENSIONS



MONTIGO / EXEMPLAR / R324STION / SAGE FIREBEADS



MONTIGO / EXEMPLAR / R324STION / DRIFTWOOD SPECKLED STONES

OPTIONS & FEATURES



BLACK PORCELAIN
PPR324

EXEMPLAR

MULTI SIDED

Premium pier

RP424

Pier
Power vented

QUICK DIMENSIONS

RP424	UNIT	FRAM.
F.WIDTH	66½	68½
B.WIDTH	66½	24
HEIGHT	53	53
DEPTH	24	24
VIEWING	24 × 48	

EXEMPLAR RP424
CONTEMPORARY

Standard

Concealed burner

In-burner accent lighting

Reflective firebox liner

Your choice of speckled stones, firestones, firebeads or fireglass

Options

Remote control

Driftwood logset and speckled stones

EXEMPLAR
POWER VENTS

Wall Mount

PVHEX58-300

PVHEX510-300

PVHEXD-300

Flush Wall Mount

PVHFL58-300

PVHFL510-300

PVHIN58-300-FS

Roof Mount

PVVEX58-300

PVVEX510-300



BTU LISTING

RP424PFN / 45,000

RP424PFL / 45,000



EXEMPLAR DIMENSIONS



Features

Zero clearance to combustibles

Frameless window design



REMOTE ON/OFF
RXM5010

OPTIONS &
FEATURES

RIVER ROCKS
RR20GREY

COPPER
HW1143

AMBER
HW1261

ICE
HW1157

GLACIER
HW1219B

PLATINUM
HW1144

ALABASTER
HW1260

OBSIDIAN
HW1113

ONYX
HW1259

MEDIA

SAGE
HW1082

QUARTZ
HW1106

FROST
HW1112

EBONY
HW1091

DRIFTWOOD
LGS***

SPECKLED STONES
SS***

See Montigo pricepages for exact ordering codes and quantities needed
Speckled stones and driftwood not available on all units, see pricepages for details

Unit Specifications

Icon Legend

AVAILABLE

+

NOT AVAILABLE

-

DEDICATED

◊

STANDARD

◦

	BTU Natural Gas	BTU Liquid Propane	Venting	Clearance Top - Rear vent	Clearance Top - Top vent	Clearance Sides	Clearance Back	Clearance Floor	Front viewing area	Standard media	Front glass type	Invisimesh screen	Powervent	Remote control	Fans	Uplighting	Downlighting
R320	50,000	40,000	5"/8"	24	24	6	2	0	37¼ × 16⅞	HW1082	Tempered	◦	◊	+	-	-	-
R420	65,000	55,000	5"/8"	24	24	6	2	0	49¼ × 16⅞	HW1082	Tempered	◦	◊	+	-	-	-
R520	80,000	65,000	5"/10"	24	24	6	2	0	61¼ × 18⅞	HW1082	Tempered	◦	◊	+	-	-	-
R620ST	100,000	100,000	5"/10"	26	26	3	2	0	85¼ × 18⅞	HW1082	Tempered	◦	◊	+	-	-	-
RP620	75,000	70,000	5"/8"	25¾	25¾	5⅝	4	0	73¼ × 18⅞	HW1082	Neoceramic	◦	◊	+	-	◦	-
R720	100,000	80,000	5"/10"	24	24	6	2	0	85¼ × 18⅞	HW1082	Tempered	◦	◊	+	-	-	-
R820	100,000	80,000	5"/10"	24	24	6	2	0	97¼ × 18⅞	HW1082	Tempered	◦	◊	+	-	-	-
R324	50,000	50,000	N/A	3	3	½	N/A	0	35¼ × 26⅜	HW1082	Tempered	◦	◦	-	-	-	-
RP424	45,000	45,000	5"/8"	0	0	0	0	0	35¼ × 26⅜	N/A	Tempered	-	◊	+	-	◦	-

EXEMPLAR FRAMING

	A	B	C	D
R320	47	55	23¾ [†]	24
R420	47	67	23¾ [†]	24
R520	45	77	23¾ [†]	24
RP620	54	96	26 [†]	24
R720	46	101	23¾ [†]	24
R820	46	113	23¾ [†]	24


EXEMPLAR ST FRAMING

	A	B	C	D
R320ST	47	55	23¾	0
R324	48	49	N/A	10
R420ST	47	67	23¾	0
R520ST	45	77	23¾	0
R620ST	45	101	23¾	0

See instruction manual for detailed instructions

Header on edge not required if framing meets clearance to venting

[†]Dimension is to back wall or back studs



1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplace hell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

for more inspiration go to
www.montigo.com

MONTIGO[®]
the art of **fireplaces**



Our Guarantee

Montigo[®] stands by the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces. All made using steel milled in the United States.

ARCAT
Printed in Canada

XB2214